

JS-10

AUTOMATIC QUANTITATION FILLING AND PACKAGING MACHINE



A high efficiency performer for the packaging of powdered and granulated products.

1. Photo-cell controlled Printing Points Tracing System ensures extremely accurate bag forming, sealing and cutting performances.
2. This unit can perform either three sides sealing, four sides sealing or pillow type packaging. Specify desired packing choice when ordering.
3. Equipped with a product counting device.
4. All components in direct contact with the product are made of stainless steel, conforming to sanitary standards.
5. Convenient package size & packing speed are adjustable. Adjustment can be made while the machine is running.
6. The entire procedure from weighing, bag forming, filling and sealing to cutting and packaging is fully automatically operated.
7. Machines can be made to customers' own specifications on request.

Applicable packing products:

Powders, granules, tablets....etc such as sugar, salt, tea, beans, medicine, health foods, melon seeds....etc

Applicable packing materials:


Poly-cello, PET+PE+Aluminium foil +PE, OPP+PE, Aluminium foil+PE and other heat sealable materials.

STANDARD EQUIPMENT:


Tool box containing:
1 x Box Wrench.
1 x Hexagonal Wrench.
1 x Screwdriver.

OPTIONAL EQUIPMENT:


Automatic quantity warning device.
Automatic date puncher.
Easy opening device.



3 sides sealing




4 sides sealing



Pillow type packaging

SPECIFICATIONS:

Packing type (One option only)	3 sides sealing, 4 sides sealing or pillow type packaging
Packing weight	1-60g (varies with product density)
Packing size	(W)60-160mm x (L)50-120mm (Length can be made to specifications)
Packing speed	20-100 bags/min
Motor	1/4 HP (Main drive)
Power source	110/220V, 50/60HZ
Heater	200W x 2pcs (Vertical) 300W x 2pcs (Horizontal)
Machine dimensions (L x W x H)	75 x 60 x 175 cm
Packing dimensions (L x W x H)	65 x 50 x 200 mm





ISO-9002
FM39790



JS-10

自動計量充填包裝機



AUTOMATIC QUANTITATION FILLING AND PACKAGING MACHINE

JS-10

粉末、顆粒狀物品之高效率
包裝作業

*A high efficiency performer for
the packaging of powdered and
granulated products.*

- 機體與包裝物接觸主件，為不銹鋼或鋁合金構造，符合安全衛生標準。
- 包裝速度與製袋長度可調。
- All components in direct contact with the product are made of stainless steel, conforming to sanitary standards.
- Packing speed and packing length are adjustable.



JS-10A

本機結構特性JS-10，其差異可加裝攪拌器及震動器

This machine features same construction and functions as model JS-10, but comes fitted with a vibrator and a mixer.

- 本機之給料機構裝置震動器，對流動性困難物品，徹底改善給料之順暢性。
- 簡易包裝尺寸調整。
- The material feeding system comes equipped with a mixer and an agitator to ensure smooth material feeding.
- Convenient packing size adjustment.

適用包裝物：

粉末、顆粒等形狀物品。如糖、鹽、胡椒、藥粉、洗髮粉、茶葉、咖啡、健康食品、藥品、花生、瓜子、豆類、調味品、調味料、或比較黏質的粉類。

適用包裝材質：


須為熱封性雙層以上貼合包裝材質如：保麗紙、鋁箔紙，或PET+PE等等。

Applicable packing products


Powders, granules, tablets....etc such as sugar, salt, tea, beans, medicine, health foods, melon seeds, sticky powders....etc

Applicable packing materials


Poly-cello, PET+PE+Aluminium foil +PE, OPP+PE, Aluminium foil+PE and other heat sealable materials.



三面封口
3 side sealing



四面封口
4 side sealing



枕狀包裝
pillow type
packing

標準配件：

工具箱附套筒扳手，六角扳手及螺絲起子。

Standard equipment:

1 Tool box containing:

1x Box Wrench, 1x Hexagonal Wrench,
1x Screwdriver.


- 具成品計數功能。
- 機體與包裝物接觸主件，為不鏽鋼、塑鋼構造，符合安全衛生標準。
- 簡易包裝尺寸調整。
- 由計量→製袋→充填→封口→切斷→全自動化一貫化作業。
- 可依客戶需要，設計製造各種包裝機。
- Photo-cell controlled Printing Points Tracing System ensures extremely accurate bag forming, sealing and cutting performance.
- This unit can perform either three sides sealing, four sides sealing or pillow type packaging. Specify desired packing choice when ordering.
- Equipped with a product counting device.
- All components in direct contact with the product are made of stainless steel, conforming to sanitary standards.
- Convenient package size & packing speed are adjustable. Adjustment can be made while the machine is running.
- The entire procedure from weighing, bag forming, filling and sealing to cutting and packaging is fully automatically operated.
- Machines can be made to customers' own specifications on request.

SPECIFICATIONS:

型 式	MODEL	JS-10	JS-10A
包裝型式	Packing type(one option only) (可訂做)	3 sides sealing, 4 sides sealing or pillow type packaging	
包裝容量	Packing weight (視包裝物比重而定) (increase capacity available)	1-60g 公克 (容量視包裝物比重而定，可依客戶需要設計加大重量至100g) (Varied with product density and weight up to 100g available)	
包裝尺寸	Packing size 長(L)x寬(W)	50-120(L)mm60-200(W)mm (film unfolded) (紙寬為展開尺寸)	
包裝速度	Packing speed (可調)	20-100 bags/min (Adjustable)	
馬達	Motor	1/4 HP (Main drive) (主馬達)	
電源	Power source	110/220V, 50/60HZ	
加熱器	Heater	(Vertical): 200Wx2 pcs. 立式加熱管 (Horizontal): 300Wx2 pcs. 橫式加熱管	
機械尺寸	Machine dimensions 長(L)x寬(W)x高(H)	75x60x175 (cm)	90x75x190 (cm)
裝箱尺寸	Packing dimensions 長(L)x寬(W)x高(H)	95x80x200 (cm)	120x85x215 (cm)
機械淨重	Net Weight	300 kgs	350 kgs
機械毛重	Gross Weight	350 kgs	400 kgs

■ 如遇包裝物需要修改，設計機械形狀時恕不另行通知。

All specifications, dimensions and design characteristics are subject to change without prior notice.



忠山機械廠有限公司

公司：嘉義縣水上鄉柳林村柳子林521號
工廠：嘉義縣水上鄉寬土村崎仔頭49-16號
電話：(05)2362327 (3線) 2369327
傳真：(05)2362675
<http://www.chung-shan.com>
E-mail: chusha@ms35.hinet.net

CHUNG SHAN MACHINERY WORKS CO., LTD.

REGISTERED ADDRESS FOR L/C:

NO. 521, LIU LIN VILLAGE, SHUI SHANG, CHIA YI HSIEN 60853, TAIWAN.

MAILING ADDRESS:

NO. 49-16, CHI TZU TOU KUAN SHIH VILLAGE, SHUI SHANG, CHIA YI HSIEN 60843, TAIWAN.
TEL: 886-5-2362327 (3 Lines), 2369327
FAX: 886-5-2362675

MANUFACTURES EXPORTERS & IMPORTERS

CHUNG SHAN MACHINERY WORKS CO.,LTD.

Company: 521 Liu Lin Village, Shui Shang
Hsiang, Chia Yi Hsien, Taiwan, R.O.C.

Factory: 49-16 Ch'iTzu Tou Kuan Shan
Village, Shui Shang Hsiang, Chai Yi
Hsien, Taiwan, R.O.C.

TEL:886 5 2362327-9

FAX:886 5 2362675 URL <http://www.chung-shan.com>

Email: chusha@ms35.hinet.net

Proforma Invoice(Revised)

Descriptions	Quantity	Unit price	Amount
CNF USA			
Bag former guide for JS-16A	2pcs	USD 350	USD 700
Heating ring	4pcs	USD 45	USD 180
Heating tube	2pcs	USD 50	USD 100
Cut-off blades	6pcs	USD 45	USD 270
Flat blade	4pcs	USD 45	USD 180
Freight cost by GDA			USD 175
Total CNF USA			USD 1,605.00

1. Payment: By wire transfer USD 1,605.00
2. Price Term: **CNF USA**
3. Delivery: Within 10 days after receipt of full payment.
4. Packing: With standard export packing.

Chung Shan Machinery Works Co., Ltd.

Flora Hsieh